

Environmental Monitoring Service

Testing and research laboratory for water, soil and food products

Aurobrindavan, Auroville, T.N., India - 605101

Phone: 0413-2964096 / 09786620685

E-mail: ems@auroville.org.in

Test Report

Customer name: Aurospirul

Nature of sample: Spirulina

Sample ID: Batch N 0116

Sample received: 15/05/2021

Analysis completed: 21/06/2021

Sample collected: By customer

Lab ID: 98M

Microbiological analysis

S. No.	Parameters	Results
1.	Standard Plate Count, 37° C, CFU/1 g	900
2.	Coliform bacterial count MPN/1 g	Absent
3.	E.coli, MPN/1 g	Absent
4.	Yeast and Molds, CFU/1 g	Absent
5.	Salmonella sp., Present/Absent in 1 g	Absent
6.	Shigella sp., Present/Absent in 1 g	Absent
7.	Staphylococcus sp., Present/Absent in 1 g	Absent

Analyst



Lab executive



Environmental Monitoring Service

Testing and research laboratory for water, soil and food products

Aurobrindavan, Auroville, T.N., India - 605101

Phone: 91-0413-2964096/9786620685

E-mail: ems@auroville.org.in

Test Report

Customer name: Auropsirul

Nature of sample: Spirulina

Sample ID: Batch N 0116

Sample received: 14/05/2021

Analysis completed: 16/06/2021

Sample collected: by customer

Lab ID: 153

Heavy Metals

S. No.	Parameters	Units	Results	Requirements
1	Arsenic (as As)	mg/kg	< 0.05	Max 1.0 (IS 12895 : 1990)
2	Cadmium (as Cd)	mg/kg	< 0.10	Max 0.5 (IS 12895 : 1990)
3	Mercury (as Hg)	mg/kg	< 0.01	Max 0.05 (IS 12895 : 1990)
4	Lead (as Pb)	mg/kg	< 0.1	Max 2.5 (IS 12895 : 1990)

Analyst



Lab executive



SAMPLE NOT DRAWN BY SGS INDIA PVT. LTD.

Report No : CG17-005041.001

Print Date : 18/03/2017
JOE No : CG17-005041

Report Control No : CGR0000695882
Sample described by customer as : SPIRULINA

Customer Name : AUROSPIRUL
Customer Address : WINDARRA SPIRULINA FARM,
: AUROVILLE
Postal Code : 605101
State : TAMIL NADU
Country : INDIA
Sample Type : SPIRULINA
Received : 10/03/2017
Sample Qty. Recd. : 100G
Batch No. : 0317
Mfg Date : 03-2017
Exp Date : 2 YEARS
Test Start : 10/03/2017
Test End Date : 18/03/2017

Test/Parameter	Method	Result	Unit
Iodine	SO-IN-MUL-TE-060 By ICP-MS	0.01	g /100 g

Per pro SGS India Private Ltd



M Elaiyaperumaal
Authorized Signatory

****End of Report****